

## Sample code: JAVA

```
import org.apache.commons.httpclient.*;
import org.apache.commons.httpclient.methods.*;
import org.apache.commons.httpclient.params.HttpMethodParams;
import java.io.IOException;
import java.io.UnsupportedEncodingException;
public class HttpUrlPush {
    public static void main(String[] args)throws IOException {
        HttpClient client=null;
        PostMethod post=null;
        String sURL;
client = new HttpClient(new MultiThreadedHttpConnectionManager());
/* Set your proxy settings */
client.getHostConfiguration().setProxy("Your Proxy", ProxyPort);
client.getHttpConnectionManager().getParams().setConnectionTimeout(30000);//set
your time
sURL = " http://world.smslane.com/vendorsms/pushsms.aspx";
        post = new PostMethod(sURL);
        //give all in string
        post.addParameter("user", "UserName");
        post.addParameter("password", "Password");
        post.addParameter("msisdn", "919898123456");
        post.addParameter("msg", "Test Message from SMSLane");
        post.addParameter("sid","WebSMS");
        post.addParameter("fl", "0");

        /* PUSH the URL */
try {
    int statusCode = client.executeMethod(post);
    System.out.println(post.getStatusLine().toString());
    if (statusCode != HttpStatus.SC_OK) {
        System.err.println("Method failed: " + post.getStatusLine());
    }
    System.out.println(post.getResponseBodyAsString());
```

```
    }  
    catch (Exception e) {  
        e.printStackTrace();  
    }  
    finally {  
        post.releaseConnection();  
    }  
}
```

/\* Developed by using COMMONS-HTTPCLIENT Api of apache

Note- set the classpath to all the jar files of commons-httpclient api and its

Dependencies \*/